# Refined Power FLOW IMPROVERS

# SAFETY DATA SHEET

#### 1. Identification

Product identifier RP™ II Flow Improver

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Flow Improver.

Recommended restrictions Other uses are not recommended unless an assessment is completed, prior to commencement of

that use, which demonstrates that the use will be controlled.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer LiquidPower Specialty Products Inc.

Address 2103 CityWest Blvd.

**Suite 1400** 

Houston, TX 77042

**Telephone** 1.713.339.8703 or 1.800.897.2774

e-mail SDS@LiquidPower.com
Website www.LiquidPower.com
Emergency telephone +1 703.527.3887 (USA)
+1 800.424.9300 (USA)

**Singapore only** 800-101-2201

+(65)-31581349

#### 2. Hazards identification

**GHS** classification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

**Environmental hazards** Not classified.

GHS label elements, including precautionary statements

**Pictograms** 



Signal word Warning

Hazard statements Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information None known.

#### 3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical name                | Common name and synonyms | CAS Number | Concentration (%) |
|------------------------------|--------------------------|------------|-------------------|
| Alcohols, C7-9-iso-, C8-rich |                          | 68526-83-0 | 35 - 45           |
| Octan-1-ol                   |                          | 111-87-5   | 2 - 10            |

**Composition comments**All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

RP™ II Flow Improver SDS Singapore

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and delayed

vision.

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed **General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Carbon dioxide (CO2). Alcohol resistant foam. Powder. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical Fire fighting

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

equipment/instructions

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Environmental precautions** Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground. Use water spray to reduce vapours or divert vapour cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Control

parameters/Occupational exposure limits

No exposure limits noted for ingredient(s).

Appropriate engineering control measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

# Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Wear a face shield if there is a risk of splashing.

RP™ II Flow Improver SDS Singapore

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile, butyl rubber or Viton (fluoroelastomers) gloves

are recommended.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of accident and/or inadequate ventilation, use respiratory protection with organic vapour

cartridge.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Colour White.

Odour Sweet, pungent.
Odour threshold Not available.

**pH** Property has not been measured.

Melting point/freezing point Initial boiling point and boiling

185 °C (365 °F)

< -40 °C (< -40 °F)

range
Flash point
Evaporation rate

83 °C (181.4 °F) Less than water. Not applicable.

Flammability (solid, gas)
Explosive limit - lower ( %)

Property has not been measured.
Property has not been measured.

Explosive limit – upper

(%)

1 mmHg (37.8°C)

Vapour pressure 1 mmHg (37 Vapour density < 1 (Air = 1)

**Relative density** > 0.83 - < 0.91 (25°C / 77°F)

Solubility(ies)

Solubility (water) Negligible in water.

Partition coefficient Property has not been measured.

(n-octanol/water)

Auto-ignition temperature Property has not been measured.

Property has not been measured.

Property has not been measured.

Viscosity 150 cP 511s-1 (Non-Newtonian) (25 °C)

Other data

**Explosive properties** Not explosive.

**Kinematic viscosity** Property has not been measured.

Oxidising properties Not oxidising.

# 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

**Hazardous decomposition**Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

**products** vapours.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Prolonged skin contact may cause temporary irritation.

RP™ II Flow Improver SDS Singapore

**Eye contact** Causes serious eye irritation.

**Ingestion** May cause discomfort if swallowed.

Acute toxicity Not expected to be acutely toxic.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Corrosivity

RP™ II Flow Improver

**OECD 404** 

Result: Very slight irritant

Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation No information available on the mixture. However, none of the components are classified in

respect of this hazard (or are present at a level below the concentration threshold for

classification).

**Skin sensitisation**No information available on the mixture. However, none of the components are classified in

respect of this hazard (or are present at a level below the concentration threshold for

classification).

Germ cell mutagenicity

No information available on the mixture. However, none of the components are classified in

respect of this hazard (or are present at a level below the concentration threshold for

classification).

**Carcinogenicity** No information available on the mixture. However, none of the components are classified in

respect of this hazard (or are present at a level below the concentration threshold for

classification).

Reproductive toxicity

No information available on the mixture. However, none of the components are classified in

respect of this hazard (or are present at a level below the concentration threshold for

classification).

Specific target organ toxicity -

single exposure

No information available on the mixture. However, none of the components are classified in respect of this hazard (or are present at a level below the concentration threshold for

classification).

Specific target organ toxicity -

repeated exposure

No information available on the mixture. However, none of the components are classified in respect of this hazard (or are present at a level below the concentration threshold for

classification).

**Aspiration hazard** Not an aspiration hazard.

Chronic effectsNone known.Relevant negative dataNo data available.Other informationNone known.

#### 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Alcohols, C7-9-iso-, C8-rich (CAS 68526-83-0)

Aquatic Acute

Algae ErC50 Pseudokirchnerella subcapitata 23 mg/l, 72 h
Crustacea LC50 Daphnia magna 31.8 mg/l, 48 h
Fish LC50 Pimephales promelas 14 mg/l, 96 h

Chronic

Crustacea EC10 Ceriodaphnia dubia 0.28 mg/l, 6 day
Fish EC10 Pimephales promelas > 0.28 mg/l, 33 day

Octan-1-ol (CAS 111-87-5)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 12.3 - <= 13.4 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** The product is not expected to bioaccumulate.

RP™ II Flow Improver SDS Singapore

#### Octanol/water partition coefficient log Kow

Octan-1-ol (CAS 111-87-5)

3

Mobility in soil Expected to have low mobility in soil and sediments with adsorption being the predominant

physical process.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal methods/information Waste material from this product should not be exposed to waste streams or sumps containing

any concentration of hydrocarbon. This will cause formation of gelled substances that may plug pipes. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Special precautions**Dispose in accordance with all applicable regulations.

# 14. Transport information

**ADR** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1, 2013)

Not regulated.

**Chemical Weapons Prohibition (Act)** 

Not applicable.

**Environmental Protection and Management (Hazardous Substances) Regulations** 

Not applicable.

**Environmental Public Health Act** 

Not applicable.

**Misuse of Drugs Act** 

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III, as amended)

Not regulated.

Drug Precursors (Misuse of Drugs Act, Third Schedule, Parts I & II, as amended)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule, as amended)

Not regulated.

#### International regulations

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto Protocol** 

Not applicable.

Basel Convention

Not applicable.

**International Inventories** 

Country(s) or region Inventory name On inventory (yes/no)\*

Australia Australian Inventory of Industrial Chemicals (AICIS) Yes

Canada Domestic Substances List (DSL) Yes

RP™ II Flow Improver

SDS Singapore

| China       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes |
|-------------|--|-----|
| Europe      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe      | European List of Notified Chemical Substances (ELINCS)                 | Yes |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)               | No  |
| Korea       | Existing Chemicals List (ECL)  | Yes |
| New Zealand | New Zealand Inventory  | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes |

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

#### 16. Other information

Country(s) or region

Canada

References HSDB® - Hazardous Substances Data Bank

Inventory name

Non-Domestic Substances List (NDSL)

IARC Monographs. Overall Evaluation of Carcinogenicity

Issued by Not available.

Prepared by Not available.

**Disclaimer** LiquidPower Specialty Products Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

On inventory (yes/no)\*

available.

Issue date12-May-2017Revision date19-April-2024Key/legendNot applicable.

RP™ II Flow Improver SDS Singapore

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).